

## DEMAND® G

Date: 2/25/2015  
Replaces: 7/21/2011

### 1. PRODUCT IDENTIFICATION

Product identifier on label: **DEMAND® G**  
Product No.: A14556B  
Use: Insecticide  
Manufacturer: Syngenta Crop Protection, LLC  
Post Office Box 18300  
Greensboro NC 27419  
Manufacturer Phone: 1-800-334-9481

**Emergency Phone: 1-800-888-8372**

### 2. HAZARDS IDENTIFICATION

Classifications: Specific Target Organ Toxicity: Respiratory Irritation Category 3  
Eye Damage/Irritation: Category 2B  
Carcinogenicity: Category 1A  
Specific Target Organ Toxicity: Repeated Category 1

Signal Word (OSHA): Danger

Hazard Statements: Causes eye irritation  
May cause respiratory irritation  
May cause cancer  
Causes damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust.  
Wash hands and face thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves, protective clothing, eye protection.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice.  
If exposed or concerned: Get medical advice/attention.

## DEMAND® G

Date: 2/25/2015  
Replaces: 7/21/2011

Call a poison center, doctor or Syngenta if you feel unwell.  
Store locked up.  
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.  
May form combustible dust concentrations in air.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Crystalline Silica, Quartz and Cristobalite	Crystalline Silica, Quartz and Cristobalite	14808-60-7	Trade Secret
Tetrahydrofurfuryl Alcohol	Tetrahydrofurfuryl Alcohol	97-99-4	Trade Secret
Wood Dust	Wood Dust	Not Applicable	Trade Secret
Other ingredients	Other ingredients	Trade Secret	<99.96%
Magnesite	Dolomitic Limestone	546-93-0	Trade Secret
[1a(S*),3a(Z)]-cyano(3-phenoxyphenyl)methyl-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate	Lambda-Cyhalothrin	91465-08-6	0.045%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

**Ingestion:** If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

**Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

**Inhalation:** If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

- Eye irritation
- Drowsiness or dizziness
- Respiratory irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.  
Treat symptomatically.

## DEMAND® G

Date: 2/25/2015  
Replaces: 7/21/2011

Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours. Treat symptomatically.  
Contains petroleum distillate - vomiting may cause aspiration pneumonia.

### 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

See also Sec. 7.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

### 7. HANDLING AND STORAGE

Precautions for safe handling:

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Crystalline Silica, Quartz and	10 mg/m <sup>3</sup> /(%SiO <sub>2</sub> +2)	0.025 mg/m <sup>3</sup>	0.05 mg/m <sup>3</sup>	NIOSH

## DEMAND® G

Date: 2/25/2015  
Replaces: 7/21/2011

Cristobalite	(respirable dust)	(respirable silica)	(respirable dust)	
Tetrahydrofurfuryl Alcohol	Not Established	Not Established	0.5 ppm TWA	AIHA
Wood Dust	Not Applicable	1 mg/m <sup>3</sup> TWA	1 mg/m <sup>3</sup> TWA	NIOSH
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Dolomitic Limestone		Not Established	5 mg/m <sup>3</sup> (Respirable), 10 mg/m <sup>3</sup> (Total)	NIOSH
Lambda-Cyhalothrin	Not Established	Not Established	0.04 mg/m <sup>3</sup> TWA (skin)	Syngenta

### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

### Individual protection measures:

#### Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

#### Eye Contact:

Where eye contact is likely, use dust-proof chemical goggles.

#### Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear. Stringent housekeeping measures are necessary to prevent translocation of the material from contaminated work surfaces to uncontaminated surfaces (railings, doors, etc.). Unprotected contact with such translocated material can result in paresthesia effects (see Section 11 of MSDS).

#### Inhalation:

A combination particulate/organic vapor respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH certified respirator with an organic vapor (OV) cartridge or canister with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Brown solid

Odor: Paint

Odor Threshold: Not Available

pH: 7.3 (1% in deionized H<sub>2</sub>O @ 77°F (25°C))

Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Applicable

Flash Point (Test Method): Not Applicable

Flammable Limits (% in Air): Not Available

Flammability: Combustible powder

Vapor Pressure: Lambda-Cyhalothrin 1.5 x 10<sup>-9</sup> mmHg @ 68°F (20°C)

Vapor Density: Not Available

## DEMAND® G

Date: 2/25/2015  
Replaces: 7/21/2011

Relative Density: 47.4 lbs/ft<sup>3</sup> typical @ 68°F (20°C)  
Solubility (ies): Lambda-Cyhalothrin 0.004 mg/l  
Partition coefficient: n-octanol/water: Not Available  
Autoignition Temperature: Not Available  
Decomposition Temperature: Not Available  
Viscosity: Not Available  
Other: None

### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.  
Chemical stability: Stable under normal use and storage conditions.  
Possibility of hazardous reactions: Will not occur.  
Conditions to Avoid: None known.  
Incompatible materials: None known.  
Hazardous Decomposition Products: None known.

### 11. TOXICOLOGICAL INFORMATION

#### Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Drowsiness or dizziness, Respiratory irritation

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Eye irritation, Drowsiness or dizziness, Respiratory irritation

#### Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Female Rat) :	> 5000 mg/kg body weight
Dermal:	Dermal (LD50 Rat) :	> 5050 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	Not Available
Eye Contact:	Minimally Irritating (Rabbit)	
Skin Contact:	Non-Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

#### Reproductive/Developmental Effects

Lambda-Cyhalothrin : Not a developmental or reproductive toxicant.

## DEMAND® G

Date: 2/25/2015  
Replaces: 7/21/2011

### Chronic/Subchronic Toxicity Studies

Lambda-Cyhalothrin : Reversible paresthesia (abnormal skin sensation).  
Reversible clinical signs of neurotoxicity in mammals.

### Carcinogenicity

Lambda-Cyhalothrin : No treatment-related tumors in rats or mice.

Chemical Name	NTP/IARC/OSHA Carcinogen
---------------	--------------------------

Crystalline Silica, Quartz and Cristobalite	IARC 1; ACGIH A2
---	------------------

Tetrahydrofurfuryl Alcohol	No
----------------------------	----

Wood Dust	IARC Group 1
-----------	--------------

Other ingredients	No
-------------------	----

Magnesite	No
-----------	----

[1a(S*),3a(Z)]-cyano(3-phenoxyphenyl)methyl-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate	No
---	----

### Other Toxicity Information

In humans, contact with exposed skin may result in temporary itching, tingling, burning or numbness, called paresthesia. The effect may result from splash, aerosol, or hot vapor contact, or transfer to the face from contaminated gloves and hands. The symptoms normally disappear within 24 hours. Face and genital areas are especially susceptible to this effect. Paresthesia involving the face is also known as "subjective facial sensation" or SFS.

### Toxicity of Other Components

#### Crystalline Silica, Quartz and Cristobalite

Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers.

#### Dolomitic Limestone

Exposure to limestone dust may cause irritation to the moist mucous membranes of the nose, throat, and upper respiratory system. Limestone may contain trace amounts of free crystalline silica. Prolonged exposure to respirable free silica can aggravate other lung conditions and cause silicosis, a disabling and potentially fatal lung disease.

#### Other ingredients

Not Applicable

#### Tetrahydrofurfuryl Alcohol

Acute exposure causes slight irritation of the skin. Prolonged exposure may cause mild nervous system effects, liver and kidney damage.

#### Wood Dust

Wood dust may cause mechanical irritation to the eye. Wood dust of certain species can elicit allergic contact dermatitis in sensitized individuals. Inhalation of wood dust may cause obstruction in nasal passages. May cause respiratory tract irritation.

### Target Organs

#### Active Ingredients

Lambda-Cyhalothrin :	Liver, nervous system
----------------------	-----------------------

#### Inert Ingredients

Crystalline Silica, Quartz and Cristobalite:	Respiratory tract
--	-------------------

Dolomitic Limestone:	Respiratory Tract
----------------------	-------------------

Other ingredients:	Not Applicable
--------------------	----------------

Tetrahydrofurfuryl Alcohol:	Skin, central nervous system, liver, kidney
-----------------------------	---

## DEMAND® G

Date: 2/25/2015  
Replaces: 7/21/2011

Wood Dust : Eye, skin, nasal passages, respiratory tract

### 12. ECOLOGICAL INFORMATION

#### Eco-Acute Toxicity

##### Lambda-Cyhalothrin :

Fish (Rainbow Trout) 96-hour LC50 0.19 ppb  
Bird (Mallard Duck) LD50 Oral > 3950 mg/kg  
Invertebrate (Water Flea) 48-hour EC50 0.04 ppb

#### Environmental Fate

##### Lambda-Cyhalothrin :

The information presented here is for the active ingredient, lambda-cyhalothrin.  
Not persistent in soil or water. Immobile in soil. Sinks in water (after 24 h).

### 13. DISPOSAL CONSIDERATIONS

#### Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

### 14. TRANSPORT INFORMATION

#### DOT Classification

Ground Transport - NAFTA  
Not regulated

#### Comments

Water Transport - International  
Proper Shipping Name: Environmentally Hazardous Substance Solid, N.O.S. (Lambda-Cyhalothrin), Marine Pollutant  
Hazard Class: Class 9  
Identification Number: UN 3077  
Packing Group: PG III

#### Air Transport

Proper Shipping Name: Environmentally Hazardous Substance Solid, N.O.S. (Lambda-Cyhalothrin)  
Hazard Class: Class 9  
Identification Number: UN 3077  
Packing Group: PG III

### 15. REGULATORY INFORMATION

#### Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

## DEMAND® G

Date: 2/25/2015  
 Replaces: 7/21/2011

Caution: Causes moderate eye irritation. Avoid contact with eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

EPA Registration Number(s):

100-1240

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard  
 Chronic Health Hazard  
 Fire Hazard

Section 313 Toxic Chemicals: None

California Proposition 65:

This product contains a chemical known to the State of California to cause cancer.

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

### 16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2  
 Flammability: 2  
 Instability: 0

HMIS Hazard Ratings

Health: 2\*  
 Flammability: 2  
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: D,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 9/15/2005

Revision Date: 2/25/2015

Replaces: 7/21/2011

Section(s) Revised: 1-16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.